

The A value in the table below for each bracket to mount on the door frame, shows the minimum requirement distance of the door frame for different electromagnetic lock model.


Magnet Grade	ValueA"	Option Brackets
300 LBS	38mm	L-150, L-EM150
600 LBS	42mm	L-300,L-10001ST
800LBS	48mm	L-750, L-350,L-400
1200 LBS	60mm	L-500,L-600



The new special styling bracket enables more aesthetic for the doors.








10010, 10060 (Double) Series

Fold the mounting template along the dotted line to a 90-degree angle. Close the door, place the template against the door and frame.



Compliant


Drill three holes in the door as indicated on the template.




Drill an 8 mm hole through door, from sexnut bolt side only, enlarge the 8mm hole to 16mm.




Drill an 6.8 mm dia. Hole and tap for M8x12.5 thread.




Drill an 8 mm hole thru door from sexnut bolt side of door, drill 12.7mmhole, 36mm in depth.




Use the Allen wrench to tighten the screws into the L bracket.



Turn on the power of EM-Lock, and let the armature plate bonds to the EM-lock. Adjust the position between the L bracket and the $\,$ door frame.



Once the position is correct, use the screws to permanently mount the L tamper caps into the mounting bracket on the door frame. screw access holes.



Test the unit. Insert the anti-

GIANNI INDUSTRIES, INC.

No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone, Tu-Cheng City, Taipei, Taiwan 23678 Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876 E-Mail: info@gianni.com.tw
Website: gianni.tw
Copyright 2008 Gianni industries, inc. All rights reserved.
DM-CA-L-10010N Ver. B Published on 2008.05.30

